

OASIS-E: Be Prepared and Empowered for the Transition


Featuring:

J'non Griffin, RN MHA, HCS-D,
HCS-H, HCS-C, COS-C of

 **SimiTree**

Sponsored by:

 **ALORA**
Home Health Software



- Q&A session will immediately follow the presentation
- Type your questions in the side panel at any time. We'll aim to cover as many as possible.
- This webinar is being recorded, and will be freely available to attendees in the days following the presentation





- Helps manage all aspects of a home health agency
- Cloud-based solution with built-in EVV
- All-payer billing solution
- Ideal for skilled & non-skilled health, all disciplines, multiple business lines
- Rated easiest to use and for outstanding customer support
- Simplifies all the tasks associated with running your agency

www.AloraHealth.com 1-800-954-8250



SimiTree is a combination of the first part of Simone™ Healthcare Consultants plus the second part of BlackTree Healthcare Consulting, equally representing the two companies that have come together for a new level of industry leadership. This combined name represents the balance SimiTree brings to its clients.

- SimiTree is dedicated to aligning our teams, services and approach with your challenges
- Help raise operational performance
- Realize your organization's clinical and financial potential
- Improve the overall health of the organization.

www.SimiTreeHC.com 1-800-949-0388

ALORA

www.alorahealth.com

1-800-954-8250

 **SimiTree**

www.SimiTreeHC.com

1-800-949-0388



Guest Panelists:



**VP OF OPERATIONS
COLLEEN JONES**

CUSTOMER SUCCESS MANAGER

Terence J Fines



Featured Presenter



J'non Griffin, RN MHA, HCS-D, HCS-H, HCS-C, COS-C
Principal and SVP of the Coding and OASIS division of SimiTree.

With more than 34 years experience in home care she has experience in all aspects of home health and hospice education and administration. She has been a consultant since 2012, when she started her own company, Home Health Solutions, LLC that merged with Simione in 2020, and together with Blacktree, formed SimiTree.

- Certified as a Homecare Coding Specialist-Diagnosis (HCS-D),
- Certified in OASIS competency, (COS-C)
- AHIMA approved ICD-10-CM trainer/ambassador.
- Certified as a Homecare Coding Specialist-Hospice (HCS-H)
- Certified as a Homecare Coding Specialist-Compliance (HCS-C)

Understanding High-Level OASIS E Changes

J'non Griffin, RN MHA HCS-D, HCS-H, HCS-C, COS-C



www.AloraHealth.com
ALORA
Home Health Software

www.SimiTreeHC.com
SimiTree

Objectives

- The learner will be able to identify the differences in OASIS D1 and OASIS E
- The learner will understand new items for behavioral health and transfer of health information
- The learner will be able to understand why the new items are being introduced

Post Acute Care/IMPACT Act

On October 6, 2014, the Improving Medicare Post-Acute Care Transformation (IMPACT) Act of 2014 was signed into law

The Act intends for standardized post-acute care data to improve Medicare beneficiary outcomes through shared-decision making, care coordination, and enhanced discharge planning.

IMPACT Act

CMS Meaningful Measure priority areas are:

- Promote effective communication and coordination of care
- Promote effective prevention and treatment of chronic disease
- Work with communities to promote best practices of healthy living
- Make care affordable
- Make care safer by reducing harm, cost in the delivery of care
- Strengthen person and family engagement as partners in their care

IMPACT Act

Quality Measure Domains:

- Skin integrity and changes in skin integrity;
- Functional status, cognitive function, and changes in function and cognitive function;
- Medication reconciliation;
- Incidence of major falls;
- Transfer of health information and care preferences when an individual transitions.

(Reference: Search “Impact Act” or [use this link](#))

IMPACT Act

Resource Use and Other Measure Domains:

- Resource use measures, including total estimated Medicare spending per beneficiary;
- Discharge to community; and
- All-condition risk-adjusted potentially preventable hospital readmissions rates.

(Reference: Search “Impact Act” or [use this link](#))

Administrative Burden

Table 1. Number of Data Elements Added and Removed for OASIS-E

Time Point	#DE in OASIS-D (D1)	#DE added for OASIS-E	#DE removed for OASIS-E	Net change (+)	#DE in OASIS-E	
SOC	158	59	14	45	203	57.3 min
ROC	131	49	8	41	172	48 min
FU	36	8	0	8	44	13.2 min
TOC	22	1	1	0	22	6.6 min
DAH	9	0	0	0	9	2.7 min
DC	97	51	2	49	146	40.2 min
Totals	444	168	25	143	596	

Table 6. Proposed Change in Clinician Burden Costs*

OASIS-E	OASIS-D	DIFFERENCE
\$900,679,044.53	\$559,827,580.49	\$340,851,464.04
		(\$30,020.39 per HHA)

OASIS E: What are the differences?

- Added items in three categories:
 - Standardized Patient Assessment Data Elements (SPADEs)
 - Brief Interview for Mental Status (BIMS)
 - Social Determinants of Health (SDH)
- Elimination of items that don't meet the criteria for inclusion

OASIS Item Criteria

To be included in the OASIS data set, an item must meet one or more of these criteria:

1. Calculate a measure for Home Health Quality Reporting Program (HHQRP)
2. Contribute to calculation of payment
3. Be used in the Medicare survey process
4. Calculate a measure in Care Compare

OASIS E (Draft) Notable Differences

- Standardization of formatting
- Items sequenced differently
- Some items separated (Race/Ethnicity for example)
- In the revised OASIS E draft, “Patient declines to respond” was added as an option to the SDH items
 - A1005 Ethnicity
 - A1010 Race
 - A1250 Transportation
 - B1300 Health literacy
 - D0700 Social Isolation

Sections of OASIS E

A - Administrative Section

B - Hearing, Speech, and Vision

C - Cognitive Patterns

D - Mood

E - Behavior

F - Preferences for Customary
Routine Activities

G - Functional Status

GG - Functional Abilities

H - Bladder and Bowel

I - Active Diagnoses

J - Health Conditions

K - Swallowing/nutritional status

M - Skin Conditions

N - Medications

O - Special treatment, Procedures,
Programs

Q - Participation in Assessment
and Goal Setting

OASIS E Comparison

OASIS D1 Sections

Patient Tracking
Clinical Record Items
Patient History & Diagnosis
Living Arrangement
Sensory Status
Integumentary
Respiratory Status
Elimination Status

OASIS E Sections

A = Administrative Information
B = Hearing, Speech and Vision
C = Cognitive Patterns
D = Mood
E = Behavior
F = Preferences for Customary Routine Activities
G = Functional Status
GG = Functional Abilities and Goals

OASIS E Comparison

OASIS D1 Sections

Neuro, Emotional, and Behavioral Status
ADLs/IADLs
Medications
Care Management
Therapy Need
Emergent Care
Discharge
Functional Abilities & Goals
Health Conditions

OASIS E Sections

H = Bladder and Bowel
I = Active Diagnoses
J = Health Conditions
K = Swallowing/Nutritional Status
M = Skin Conditions
N = Medications
O = Special Treatment, Procedures, and Programs
Q = Participation in Assessment and Goal Setting

OASIS E Comparison

Items Added

A1005 Ethnicity

A1010 Race

A1110 Language (preferred)

A1250 Transportation

A2120 Provision of Current Reconciled
Medication List to Subsequent Provider at
Transfer

M2121 Provision of Current Reconciled
Medication List to Subsequent Provider at
Discharge

A2122 Route of Current Reconciled Medication
List Transmission to Subsequent Provider

Items Deleted

M0140 Race/Ethnicity

OASIS E Comparison

Items Added

A2123 Provision of Current Reconciled Medication List to Patient at Discharge
A2124 Route of Current Reconciled Medication List Transmission to Patient
B0200 Hearing
B1000 Vision
B1300 Health Literacy
C0100 Should BIMS be conducted
C0200 Repetition of Three Words
C0300 Temporal Orientation
C0400 Recall
C0500 BIMS Summary Score
C1310 Signs and Symptoms of Delirium

Items Deleted

M1030 Therapies (received at home)
M1051 Pneumococcal Vaccine
M1056 Reason Pneumococcal Vaccine not received
M1200 Vision

OASIS E Comparison

Items Added

D0150 Patient Mood Interview (PHQ-2 to 9)
D0160 Total Severity Score
D0700 Social Isolation
J0510 Pain Effect on Sleep
J0520 Pain Interference with Therapy Activities
J0530 Pain Interference with Day-to-Day Activities
K0520 Nutritional Approaches
N0415 High-Risk Drug Classes: Use and Indication
O0110 Special Treatments, Procedures, and Programs

Items Deleted

M1242 Frequency of Pain Interfering
M1730 Depression Screening
M2016 Patient/Caregiver Drug Education Intervention
M2401 Intervention Synopsis (a) Diabetic Foot Care

Administrative Information

Section A

(M0140) Race/Ethnicity: (Mark all that apply.)

- 1 - American Indian or Alaska Native
- 2 - Asian
- 3 - Black or African-American
- 4 - Hispanic or Latino
- 5 - Native Hawaiian or Pacific Islander
- 6 - White

(M0150) Current Payment Sources for Home Care: (Mark all that apply.)

- 0 - None; no charge for current services
- 1 - Medicare (traditional fee-for-service)
- 2 - Medicare (HMO/managed care/Advantage plan)
- 3 - Medicaid (traditional fee-for-service)
- 4 - Medicaid (HMO/managed care)
- 5 - Workers' compensation
- 6 - Title programs (for example, Title III, V, or XX)
- 7 - Other government (for example, TriCare, VA)
- 8 - Private insurance
- 9 - Private HMO/managed care
- 10 - Self-pay
- 11 - Other (specify) _____
- UK - Unknown

A1005. Ethnicity	
Are you of Hispanic, Latino/a, or Spanish origin?	
↓ Check all that apply	
<input type="checkbox"/>	A. No, not of Hispanic, Latino/a, or Spanish origin
<input type="checkbox"/>	B. Yes, Mexican, Mexican American, Chicano/a
<input type="checkbox"/>	C. Yes, Puerto Rican
<input type="checkbox"/>	D. Yes, Cuban
<input type="checkbox"/>	E. Yes, another Hispanic, Latino, or Spanish origin
<input type="checkbox"/>	X. Patient unable to respond
<input type="checkbox"/>	Y. Patient declines to respond

A1010. Race	
What is your race?	
↓ Check all that apply	
<input type="checkbox"/>	A. White
<input type="checkbox"/>	B. Black or African American
<input type="checkbox"/>	C. American Indian or Alaska Native
<input type="checkbox"/>	D. Asian Indian
<input type="checkbox"/>	E. Chinese
<input type="checkbox"/>	F. Filipino
<input type="checkbox"/>	G. Japanese
<input type="checkbox"/>	H. Korean
<input type="checkbox"/>	I. Vietnamese
<input type="checkbox"/>	J. Other Asian
<input type="checkbox"/>	K. Native Hawaiian
<input type="checkbox"/>	L. Guamanian or Chamorro
<input type="checkbox"/>	M. Samoan
<input type="checkbox"/>	N. Other Pacific Islander
<input type="checkbox"/>	X. Patient unable to respond
<input type="checkbox"/>	Y. Patient declines to respond
<input type="checkbox"/>	Z. None of the above

NEW-ish

M0150. Current Payment Sources for Home Care	
↓ Check all that apply	
<input type="checkbox"/>	0. None; no charge for current services
<input type="checkbox"/>	1. Medicare (traditional fee-for-service)
<input type="checkbox"/>	2. Medicare (HMO/managed care/Advantage plan)
<input type="checkbox"/>	3. Medicaid (traditional fee-for-service)
<input type="checkbox"/>	4. Medicaid (HMO/managed care)
<input type="checkbox"/>	5. Workers' compensation
<input type="checkbox"/>	6. Title programs (for example, Title III, V, or XX)
<input type="checkbox"/>	7. Other government (for example, TriCare, VA)
<input type="checkbox"/>	8. Private insurance
<input type="checkbox"/>	9. Private HMO/managed care
<input type="checkbox"/>	10. Self-pay
<input type="checkbox"/>	11. Other (specify)
<input type="checkbox"/>	UK. Unknown

CLINICAL RECORD ITEMS, continued

(M0102) Date of Physician-ordered Start of Care (Resumption of Care): If the physician indicated a specific start of care (resumption of care) date when the patient was referred for home health services, record the date specified.

/ / [Go to M0110, if date entered]
month day year

NA - No specific SOC date ordered by physician

(M0104) Date of Referral: Indicate the date that the written or verbal referral for initiation or resumption of care was received by the HHA.

/ /
month day year

(M0110)	Episode Timing: Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes?												
Enter Code	<table border="0"> <tr><td><input type="checkbox"/></td><td>1</td><td>Early</td></tr> <tr><td></td><td>2</td><td>Later</td></tr> <tr><td></td><td>UK</td><td>Unknown</td></tr> <tr><td></td><td>NA</td><td>Not Applicable: No Medicare case mix group to be defined by this assessment.</td></tr> </table>	<input type="checkbox"/>	1	Early		2	Later		UK	Unknown		NA	Not Applicable: No Medicare case mix group to be defined by this assessment.
<input type="checkbox"/>	1	Early											
	2	Later											
	UK	Unknown											
	NA	Not Applicable: No Medicare case mix group to be defined by this assessment.											

M0102. Date of Physician-ordered Start of Care (Resumption of Care)
 If the physician indicated a specific start of care (resumption of care) date when the patient was referred for home health services, record the date specified.

- - → Skip to M0110, Episode Timing, if date entered
Month Day Year

NA – No specific SOC/ROC date ordered by physician

M0104. Date of Referral
 Indicate the date that the written or verbal referral for initiation or resumption of care was received by the HHA.

- -
Month Day Year

M0110. Episode Timing
 Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes?

Enter Code

<input type="checkbox"/>	1.	Early
	2.	Later
	UK	Unknown
	NA	Not Applicable: No Medicare case mix group to be defined by this assessment.

A1110. Language

Enter Code

A. What is your preferred language?

B. Do you need or want an interpreter to communicate with a doctor or health care staff?
 0. No
 1. Yes
 9. Unable to determine

Primary Speaks or Understands

A1250. Transportation (NACHC ©)
 Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living?

↓ Check all that apply

<input type="checkbox"/>	A. Yes, it has kept me from medical appointments or from getting my medications
<input type="checkbox"/>	B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need
<input type="checkbox"/>	C. No
<input type="checkbox"/>	X. Patient unable to respond
<input type="checkbox"/>	Y. Patient declines to respond

Adapted from: NACHC© 2019. National Association of Community Health Centers, Inc., Association of Asian Pacific Community Health Organizations, Oregon Primary Care Association. PRAPARE and its resources are proprietary information of NACHC and its partners, intended for use by NACHC, its partners, and authorized recipients. Do not publish, copy, or distribute this information in part or whole without written consent from NACHC.



Inpatient Facilities

PATIENT HISTORY AND DIAGNOSES

(M1000) From which of the following **Inpatient Facilities** was the patient discharged within the past 14 days? (Mark all that apply.)

- 1 - Long-term nursing facility (NF)
- 2 - Skilled nursing facility (SNF/TCU)
- 3 - Short-stay acute hospital (IPPS)
- 4 - Long-term care hospital (LTCH)
- 5 - Inpatient rehabilitation hospital or unit (IRF)
- 6 - Psychiatric hospital or unit
- 7 - Other (specify) _____
- NA - Patient was not discharged from an inpatient facility [Go to M1021]

(M1005) **Inpatient Discharge Date** (most recent):

/ /
month day year

- UK - Unknown

M1000. From which of the following Inpatient Facilities was the patient discharged within the past 14 days?	
↓ Check all that apply	
<input type="checkbox"/>	1. Long-term nursing facility (NF)
<input type="checkbox"/>	2. Skilled nursing facility (SNF/TCU)
<input type="checkbox"/>	3. Short-stay acute hospital (IPPS)
<input type="checkbox"/>	4. Long-term care hospital (LTCH)
<input type="checkbox"/>	5. Inpatient rehabilitation hospital or unit (IRF)
<input type="checkbox"/>	6. Psychiatric hospital or unit
<input type="checkbox"/>	7. Other (specify)
<input type="checkbox"/>	NA Patient was not discharged from an inpatient facility → Skip to B1300, Health Literacy

M1005. Inpatient Discharge Date (most recent)	
<input type="text"/> - <input type="text"/> - <input type="text"/>	<input type="checkbox"/> UK - Unknown
Month Day Year	

EMERGENT CARE

(M2301) Emergent Care: At the time of or at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency department (includes holding/observation status)?	
Enter Code <input type="checkbox"/>	0 No [Go to M2401] 1 Yes, used hospital emergency department WITHOUT hospital admission 2 Yes, used hospital emergency department WITH hospital admission UK Unknown [Go to M2401]

(M2310) Reason for Emergent Care: For what reason(s) did the patient seek and/or receive emergent care (with or without hospitalization)? (Mark all that apply.)

- 1 - Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis
- 10 - Hypo/Hyperglycemia, diabetes out of control
- 19 - Other than above reasons
- UK - Reason unknown

(M2410) To which Inpatient Facility has the patient been admitted?	
Enter Code <input type="checkbox"/>	1 Hospital 2 Rehabilitation facility 3 Nursing home 4 Hospice NA No inpatient facility admission [Omit "NA" option on TRM]
(M2420) Discharge Disposition: Where is the patient after discharge from your agency? (Choose only one answer.)	
Enter Code <input type="checkbox"/>	1 Patient remained in the community (without formal assistive services) 2 Patient remained in the community (with formal assistive services) 3 Patient transferred to a non-institutional hospice 4 Unknown because patient moved to a geographic location not served by this agency UK Other unknown

M2301. Emergent Care At the time of or at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency department (includes holding/observation status)?	
Enter Code <input type="checkbox"/>	0. No → Skip to M2410, Inpatient Facility 1. Yes, used hospital emergency department WITHOUT hospital admission 2. Yes, used hospital emergency department WITH hospital admission UK Unknown → Skip to M2410, Inpatient Facility

M2310. Reason for Emergent Care For what reason(s) did the patient seek and/or receive emergent care (with or without hospitalization)?	
↓ Check all that apply	
<input type="checkbox"/>	1. Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis
<input type="checkbox"/>	10. Hypo/Hyperglycemia, diabetes out of control
<input type="checkbox"/>	19. Other than above reasons
<input type="checkbox"/>	UK Reason unknown

M2410. To which Inpatient Facility has the patient been admitted?	
Enter Code <input type="checkbox"/>	1. Hospital 2. Rehabilitation facility 3. Nursing home 4. Hospice NA No inpatient facility admission [Omit "NA" option on TRN]

M2420. Discharge Disposition Where is the patient after discharge from your agency? (Choose only one answer.)	
Enter Code <input type="checkbox"/>	1. Patient remained in the community (without formal assistive services) → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 2. Patient remained in the community (with formal assistive services) → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge 3. Patient transferred to a non-institutional hospice → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge 4. Unknown because patient moved to a geographic location not served by this agency → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 5. UK Other unknown → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge

A2120. Provision of Current Reconciled Medication List to Subsequent Provider at Transfer At the time of transfer to another provider, did your agency provide the patient's current reconciled medication list to the subsequent provider?	
Enter Code <input type="checkbox"/>	0. No – Current reconciled medication list not provided to the subsequent provider → Skip to J1800, Any Falls Since SOC/ROC 1. Yes – Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider 2. NA – The agency was not made aware of this transfer timely → Skip to J1800, Any Falls Since SOC/ROC

A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge At the time of discharge to another provider, did your agency provide the patient's current reconciled medication list to the subsequent provider?	
Enter Code <input type="checkbox"/>	0. No – Current reconciled medication list not provided to the subsequent provider → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 1. Yes – Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider




Reconciled Medications

Medication Reconciliation -- The process of identifying the most accurate list of all medications that the patient is taking, including name, dosage, frequency, and route, by comparing the medical record to an external list of medications obtained from a patient, hospital, or other provider.

Transition of Care – The movement of a patient from one setting of care (hospital, ambulatory primary care practice, ambulatory specialty care practice, long-term care, home health, rehabilitation facility) to another.

A2122 Route of Current Reconciled Medication List Transmission to Subsequent Provider
Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider.

Route of Transmission	↓ Check all that apply ↓
A. Electronic Health Record	<input type="checkbox"/>
B. Health Information Exchange Organization	<input type="checkbox"/>
C. Verbal (e.g., in-person, telephone, video conferencing)	<input type="checkbox"/>
D. Paper-based (e.g., fax, copies, printouts)	<input type="checkbox"/>
E. Other Methods (e.g., texting, email, CDs)	<input type="checkbox"/>




A2123. Provision of Current Reconciled Medication List to Patient at Discharge
At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family and/or caregiver?

Enter Code	
<input type="checkbox"/>	0. No- Current reconciled medication list not provided to the patient, family and/or caregiver → Skip to B1300, Health Literacy
<input type="checkbox"/>	1. Yes - Current reconciled medication list provided to the patient, family and/or caregiver → Continue to A2124, Route of Current Reconciled Medication List Transmission to Patient.



A2124. Route of Current Reconciled Medication List Transmission to Patient
Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver.

Route of Transmission	↓ Check all that apply ↓
A. Electronic Health Record	<input type="checkbox"/>
B. Health Information Exchange Organization	<input type="checkbox"/>
C. Verbal (e.g., in-person, telephone, video conferencing)	<input type="checkbox"/>
D. Paper-based (e.g., fax, copies, printouts)	<input type="checkbox"/>
E. Other Methods (e.g., texting, email, CDs)	<input type="checkbox"/>



Why Do I Need to Do Med Reconciliation at Discharge?

Ensure new caregivers (or patient and family) are aware of current medications, doses and reasons

Medication reconciliation should be ongoing rather than a single process



Hearing, Speech, Vision

Section B

Section B Hearing, Speech, and Vision

SENSORY STATUS

(M1200) Vision (with corrective lenses if the patient usually wears them):	
Enter Code	0 Normal vision: sees adequately in most situations; can see medication labels, newsprint.
<input type="checkbox"/>	1 Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
	2 Severely impaired: cannot locate objects without touching them, or patient nonresponsive.

B0200. Hearing

Enter Code

Ability to hear (with hearing aid or hearing appliances if normally used)

0. **Adequate** – no difficulty in normal conversation, social interaction, listening to TV
1. **Minimal difficulty** – difficulty in some environments (e.g., when person speaks softly, or setting is noisy)
2. **Moderate difficulty** – speaker has to increase volume and speak distinctly
3. **Highly impaired** – absence of useful hearing

New

B1000. Vision

Enter Code

Ability to see in adequate light (with glasses or other visual appliances)

0. **Adequate** – sees fine detail, such as regular print in newspapers/books
1. **Impaired** – sees large print, but not regular print in newspapers/books
2. **Moderate impaired** – limited vision; not able to see newspaper headlines but can identify objects
3. **Highly impaired** – object identification in question, but eyes appear to follow objects
4. **Severely impaired** – no vision or sees only light, colors or shapes; eyes do not appear to follow objects

New


Health Literacy

Personal health literacy is the degree to which individuals have the ability to find, understand, and use information and services to inform health-related decisions and actions for themselves and others.

The new definitions:

- Emphasize people's ability to *use* health information rather than just understand it
- Focus on the ability to make “well-informed” decisions rather than “appropriate” ones
- Acknowledge that organizations have a responsibility to address health literacy
- Incorporate a public health perspective

B1300. Health Literacy (From Creative Commons ©)	
How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?	
Enter Code	0. Never
<input type="text"/>	1. Rarely
	2. Sometimes
	3. Often
	4. Always
	7. Patient declines to respond
	8. Patient unable to respond



The Single Item Literacy Screener is licensed under a Creative Commons Attribution Noncommercial 4.0 International License.

Cognitive



Section C

New cognitive status items for OASIS-E



C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?

Attempt to conduct interview with all patients.

Enter Code	
<input type="checkbox"/>	0. No (patient is rarely/never understood) → Skip to C1310, Signs and Symptoms of Delirium (from CAM ©)
<input type="checkbox"/>	1. Yes → Continue to C0200, Repetition of Three Words

Brief Interview for Mental Status (BIMS)

C0200. Repetition of Three Words

Enter Code	Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed . Now tell me the three words."
<input type="checkbox"/>	Number of words repeated after first attempt
<input type="checkbox"/>	0. None
<input type="checkbox"/>	1. One
<input type="checkbox"/>	2. Two
<input type="checkbox"/>	3. Three
	After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times.

C0300. Temporal Orientation (Orientation to year, month, and day)

Enter Code	Ask patient: "Please tell me what year it is right now."
<input type="checkbox"/>	A. Able to report correct year
	0. Missed by > 5 years or no answer
	1. Missed by 2-5 years
	2. Missed by 1 year
	3. Correct
Enter Code	Ask patient: "What month are we in right now?"
<input type="checkbox"/>	B. Able to report correct month
	0. Missed by > 1 month or no answer
	1. Missed by 6 days to 1 month
	2. Accurate within 5 days
Enter Code	Ask patient: "What day of the week is today?"
<input type="checkbox"/>	C. Able to report correct day of the week
	0. Incorrect or no answer
	1. Correct

C0400. Recall

Enter Code	Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word.
<input type="checkbox"/>	A. Able to recall "sock"
	0. No – could not recall
	1. Yes, after cueing ("something to wear")
	2. Yes, no cue required
Enter Code	B. Able to recall "blue"
<input type="checkbox"/>	0. No – could not recall
	1. Yes, after cueing ("a color")
	2. Yes, no cue required
Enter Code	C. Able to recall "bed"
<input type="checkbox"/>	0. No – could not recall
	1. Yes, after cueing ("a piece of furniture")
	2. Yes, no cue required

C0500. BIMS Summary Score

Enter Score	<input type="text"/> <input type="text"/>
	Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview

C0200: Repetition of Three Words

C0200. Repetition of Three Words	
Enter Code <input type="text"/>	<p>Ask patient: <i>"I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed. Now tell me the three words."</i></p> <p>Number of words repeated after first attempt</p> <ol style="list-style-type: none">0. None1. One2. Two3. Three <p>After the patient's first attempt, repeat the words using cues (<i>"sock, something to wear; blue, a color; bed, a piece of furniture"</i>). You may repeat the words up to two more times.</p>

First try only:

Number of words repeated after first attempt

0. None
1. One
2. Two
3. Three

C0300: Temporal Orientation

C0300. Temporal Orientation (Orientation to year, month, and day)

<p>Enter Code</p> <input data-bbox="315 454 379 536" type="checkbox"/>	<p>Ask patient: <i>"Please tell me what year it is right now."</i></p> <p>A. Able to report correct year</p> <ul style="list-style-type: none">0. Missed by > 5 years or no answer1. Missed by 2-5 years2. Missed by 1 year3. Correct
<p>Enter Code</p> <input data-bbox="315 796 379 879" type="checkbox"/>	<p>Ask patient: <i>"What month are we in right now?"</i></p> <p>B. Able to report correct month</p> <ul style="list-style-type: none">0. Missed by > 1 month or no answer1. Missed by 6 days to 1 month2. Accurate within 5 days
<p>Enter Code</p> <input data-bbox="315 1082 379 1165" type="checkbox"/>	<p>Ask patient: <i>"What day of the week is today?"</i></p> <p>C. Able to report correct day of the week</p> <ul style="list-style-type: none">0. Incorrect or no answer1. Correct

CAM (Confusion Assessment Method)

C1310. Signs and Symptoms of Delirium (from CAM©)	
Code after completing Brief Interview for Mental Status and reviewing medical record.	
A. Acute Onset of Mental Status Change NEW	
Enter Code <input type="checkbox"/>	Is there evidence of an acute change in mental status from patient's baseline? 0. No 1. Yes
↓ Enter Codes in Boxes	
Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	<input type="checkbox"/> B. Inattention – Did the patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said?
	<input type="checkbox"/> C. Disorganized thinking – Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
	<input type="checkbox"/> D. Altered level of consciousness – Did the patient have altered level of consciousness, as indicated by any of the following criteria? <ul style="list-style-type: none"> ▪ vigilant – startled easily to any sound or touch ▪ lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch ▪ stuporous – very difficult to arouse and keep aroused for the interview ▪ comatose – could not be aroused

Purpose of the CAM

CAM is a standardized evidence-based tool that enables non-psychiatrically trained clinicians to identify and recognize delirium quickly and accurately in both clinical and research settings.

The screening tool alerts clinicians to the presence of possible delirium.

<https://www.youtube.com/watch?v=GGmp32-l5rg>

Mood

Section D

(M1730) Depression Screening: Has the patient been screened for depression, using a standardized, validated depression screening tool?

Enter Code 0 No
 1 Yes, patient was screened using the PHQ-20* scale

Instructions for this two-question tool: Ask patient: "Over the last 2 weeks, how often have you been bothered by any of the following problems?"

PHQ-20*	Not at all 0-1 day	Several days 2-6 days	More than half of the days 7-11 days	Nearly every day 12-14 days	NA Unable to respond
a) Little interest or pleasure in doing things	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> NA
b) Feeling down, depressed, or hopeless?	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> NA

2 Yes, patient was screened with a different standardized, validated assessment and the patient meets criteria for further evaluation for depression.
 3 Yes, patient was screened with a different standardized, validated assessment and the patient does not meet criteria for further evaluation for depression.

*Copyright © Pfizer Inc. All rights reserved. Reproduced with permission.



Section D Mood

D0150. Patient Mood Interview (PHQ-2 to 9)
 Say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"
 If symptom is present, enter 1 (yes) in column 1, Symptom Presence.
 If yes in column 1, then ask the patient: "About how often have you been bothered by this?"
 Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2) 9. No response (leave column 2 blank).	2. Symptom Frequency 0. Never or 1 day 1. 2-6 days (several days) 2. 7-11 days (half or more of the days) 3. 12-14 days (nearly every day)	1. Symptom Presence	2. Symptom Frequency
		↓Enter Scores in Boxes↓	↓Enter Scores in Boxes↓
A. Little interest or pleasure in doing things		<input type="checkbox"/>	<input type="checkbox"/>
B. Feeling down, depressed, or hopeless		<input type="checkbox"/>	<input type="checkbox"/>
If either D150A2 or D150B2 is coded 2 or 3, CONTINUE asking the questions below. If not, END the PHQ interview.			
C. Trouble falling or staying asleep, or sleeping too much		<input type="checkbox"/>	<input type="checkbox"/>
D. Feeling tired or having little energy		<input type="checkbox"/>	<input type="checkbox"/>
E. Poor appetite or overeating		<input type="checkbox"/>	<input type="checkbox"/>
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down		<input type="checkbox"/>	<input type="checkbox"/>
G. Trouble concentrating on things, such as reading the newspaper or watching television		<input type="checkbox"/>	<input type="checkbox"/>
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual		<input type="checkbox"/>	<input type="checkbox"/>
I. Thoughts that you would be better off dead, or of hurting yourself in some way		<input type="checkbox"/>	<input type="checkbox"/>

D0160. Total Severity Score
 Enter Score
 Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 02 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

D0700. Social Isolation
 How often do you feel lonely or isolated from those around you?

Enter Code

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

Behavior

Section E

M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated <u>at least once a week</u> (Reported or Observed):	
↓ Check all that apply	
<input type="checkbox"/>	1. Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
<input type="checkbox"/>	2. Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
<input type="checkbox"/>	3. Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
<input type="checkbox"/>	4. Physical aggression: aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
<input type="checkbox"/>	5. Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
<input type="checkbox"/>	6. Delusional, hallucinatory, or paranoid behavior
<input type="checkbox"/>	7. None of the above behaviors demonstrated

M1745. Frequency of Disruptive Behavior Symptoms (Reported or Observed):	
Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.	
Enter Code	0. Never
<input type="checkbox"/>	1. Less than once a month
	2. Once a month
	3. Several times each month
	4. Several times a week
	5. At least daily

Section E	Behavior
M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated <u>at least once a week</u> (Reported or Observed):	
↓ Check all that apply	
<input type="checkbox"/>	1. Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
<input type="checkbox"/>	2. Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
<input type="checkbox"/>	3. Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
<input type="checkbox"/>	4. Physical aggression: aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
<input type="checkbox"/>	5. Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
<input type="checkbox"/>	6. Delusional, hallucinatory, or paranoid behavior
<input type="checkbox"/>	7. None of the above behaviors demonstrated

M1745. Frequency of Disruptive Behavior Symptoms (Reported or Observed):	
Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.	
Enter Code	0. Never
<input type="checkbox"/>	1. Less than once a month
	2. Once a month
	3. Several times each month
	4. Several times a week
	5. At least daily

Preferences for Customary Routine Activities

Section F

LIVING ARRANGEMENTS

(M1100) Patient Living Situation: Which of the following best describes the patient's residential circumstance and availability of assistance? (Check one box only.)

Living Arrangement	Availability of Assistance				
	Around the clock	Regular daytime	Regular nighttime	Occasional / short-term assistance	No assistance available
a. Patient lives alone	<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03	<input type="checkbox"/> 04	<input type="checkbox"/> 05
b. Patient lives with other person(s) in the home	<input type="checkbox"/> 06	<input type="checkbox"/> 07	<input type="checkbox"/> 08	<input type="checkbox"/> 09	<input type="checkbox"/> 10
c. Patient lives in congregate situation (for example, assisted living, residential care home)	<input type="checkbox"/> 11	<input type="checkbox"/> 12	<input type="checkbox"/> 13	<input type="checkbox"/> 14	<input type="checkbox"/> 15

Section F

Preferences for Customary Routine Activities

M1100. Patient Living Situation

Which of the following best describes the patient's residential circumstance and availability of assistance?

Living Arrangement	Availability of Assistance				
	Around the Clock	Regular Daytime	Regular Nighttime	Occasional/ Short-Term Assistance	No Assistance Available
↓Check one box only↓					
A. Patient lives alone	<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03	<input type="checkbox"/> 04	<input type="checkbox"/> 05
B. Patient lives with other person(s) in the home	<input type="checkbox"/> 06	<input type="checkbox"/> 07	<input type="checkbox"/> 08	<input type="checkbox"/> 09	<input type="checkbox"/> 10
C. Patient lives in congregate situation (for example, assisted living, residential care home)	<input type="checkbox"/> 11	<input type="checkbox"/> 12	<input type="checkbox"/> 13	<input type="checkbox"/> 14	<input type="checkbox"/> 15

CARE MANAGEMENT

SOC/ROC

(M2102)	Types and Sources of Assistance: Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.
Enter Code <input type="checkbox"/>	f. Supervision and safety (for example, due to cognitive impairment) <ol style="list-style-type: none"> 0 No assistance needed –patient is independent or does not have needs in this area 1 Non-agency caregiver(s) currently provide assistance 2 Non-agency caregiver(s) need training/ supportive services to provide assistance 3 Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4 Assistance needed, but no non-agency caregiver(s) available

Discharge

(M2102)	Types and Sources of Assistance: Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.
Enter Code <input type="checkbox"/>	a. ADL assistance (for example, transfer/ ambulation, bathing, dressing, toileting, eating/feeding) <ol style="list-style-type: none"> 0 No assistance needed –patient is independent or does not have needs in this area 1 Non-agency caregiver(s) currently provide assistance 2 Non-agency caregiver(s) need training/ supportive services to provide assistance 3 Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4 Assistance needed, but no non-agency caregiver(s) available
Enter Code <input type="checkbox"/>	c. Medication administration (for example, oral, inhaled or injectable) <ol style="list-style-type: none"> 0 No assistance needed –patient is independent or does not have needs in this area 1 Non-agency caregiver(s) currently provide assistance 2 Non-agency caregiver(s) need training/ supportive services to provide assistance 3 Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4 Assistance needed, but no non-agency caregiver(s) available
Enter Code <input type="checkbox"/>	d. Medical procedures/ treatments (for example, changing wound dressing, home exercise program) <ol style="list-style-type: none"> 0 No assistance needed –patient is independent or does not have needs in this area 1 Non-agency caregiver(s) currently provide assistance 2 Non-agency caregiver(s) need training/ supportive services to provide assistance 3 Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4 Assistance needed, but no non-agency caregiver(s) available
Enter Code <input type="checkbox"/>	f. Supervision and safety (for example, due to cognitive impairment) <ol style="list-style-type: none"> 0 No assistance needed –patient is independent or does not have needs in this area 1 Non-agency caregiver(s) currently provide assistance 2 Non-agency caregiver(s) need training/ supportive services to provide assistance 3 Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4 Assistance needed, but no non-agency caregiver(s) available

SOC/ROC

M2102. Types and Sources of Assistance

Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.

Enter Code <input type="checkbox"/>	F. Supervision and safety (for example, due to cognitive impairment) <ol style="list-style-type: none"> 0. No assistance needed – patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available
--	---

Discharge

M2102. Types and Sources of Assistance

Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.

Enter Code <input type="checkbox"/>	A. ADL assistance (for example, transfer/ambulation, bathing, dressing, toileting, eating/feeding) <ol style="list-style-type: none"> 0. No assistance needed –patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available
Enter Code <input type="checkbox"/>	C. Medication administration (for example, oral, inhaled or injectable) <ol style="list-style-type: none"> 0. No assistance needed –patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available
Enter Code <input type="checkbox"/>	D. Medical procedures/treatments (for example, changing wound dressing, home exercise program) <ol style="list-style-type: none"> 0. No assistance needed –patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available
Enter Code <input type="checkbox"/>	F. Supervision and safety (for example, due to cognitive impairment) <ol style="list-style-type: none"> 0. No assistance needed –patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available

Functional and Functional Ability

Section G and GG

GG and GG Items

No changes to M18-- items except M1870 moved to a different category

No changes to GG items

Bladder and Bowel

Section H

ELIMINATION STATUS

(M1600)	Has this patient been treated for a Urinary Tract Infection in the past 14 days?
Enter Code <input type="checkbox"/>	0 No 1 Yes NA Patient on prophylactic treatment UK Unknown [Omit "UK" option on DC]
(M1610)	Urinary Incontinence or Urinary Catheter Presence:
Enter Code <input type="checkbox"/>	0 No incontinence or catheter (includes anuria or ostomy for urinary drainage) 1 Patient is incontinent 2 Patient requires a urinary catheter (specifically: external, indwelling, intermittent, or suprapubic)
(M1620)	Bowel Incontinence Frequency:
Enter Code <input type="checkbox"/>	0 Very rarely or never has bowel incontinence 1 Less than once weekly 2 One to three times weekly 3 Four to six times weekly 4 On a daily basis 5 More often than once daily NA Patient has ostomy for bowel elimination UK Unknown [Omit "UK" option on FU, DC]
(M1630)	Ostomy for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay; <u>or</u> b) necessitated a change in medical or treatment regimen?
Enter Code <input type="checkbox"/>	0 Patient does <u>not</u> have an ostomy for bowel elimination. 1 Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regimen. 2 The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen.

Section H Bladder and Bowel

M1600. Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

Enter Code <input type="checkbox"/>	0. No 1. Yes NA Patient on prophylactic treatment UK Unknown [Omit "UK" option on DC]
--	--

M1610. Urinary Incontinence or Urinary Catheter Presence

Enter Code <input type="checkbox"/>	0. No incontinence or catheter (includes anuria or ostomy for urinary drainage) 1. Patient is incontinent 2. Patient requires a urinary catheter (specifically: external, indwelling, intermittent, or suprapubic)
--	--

M1620. Bowel Incontinence Frequency

Enter Code <input type="checkbox"/>	0. Very rarely or never has bowel incontinence 1. Less than once weekly 2. One to three times weekly 3. Four to six times weekly 4. On a daily basis 5. More often than once daily NA Patient has ostomy for bowel elimination UK Unknown [Omit "UK" option on DC]
--	---

M1630. Ostomy for Bowel Elimination

Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay; or b) necessitated a change in medical or treatment regimen?

Enter Code <input type="checkbox"/>	0. Patient does <u>not</u> have an ostomy for bowel elimination. 1. Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regimen. 2. The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen.
--	---


Active Diagnoses

Section I

(M1021) Primary Diagnosis & (M1023) Other Diagnoses	
Column 1	Column 2
Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided)	ICD-10-CM and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses
Description	ICD-10-CM / Symptom Control Rating
(M1021) Primary Diagnosis	V, W, X, Y codes NOT allowed
a. _____	a. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
(M1023) Other Diagnoses	All ICD-10-CM codes allowed
b. _____	b. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
c. _____	c. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
d. _____	d. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
e. _____	e. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
f. _____	f. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4

(M1028) Active Diagnoses – Comorbidities and Co-existing Conditions – Check all that apply
See OASIS Guidance Manual for a complete list of relevant ICD-10 codes.

- 1 - Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
- 2 - Diabetes Mellitus (DM)
- 3 - None of the above



M1021. Primary Diagnosis & M1023. Other Diagnoses	
Column 1	Column 2
Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided)	ICD-10-CM and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses

M1021. Primary Diagnosis	
a. _____	V, W, X, Y NOT allowed a. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4

M1023. Other Diagnoses	
B. _____	All ICD-10-CM codes allowed B. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
C. _____	C. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
D. _____	D. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
E. _____	E. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
F. _____	F. <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4

M1028. Active Diagnoses – Comorbidities and Co-existing Conditions	
↓ Check all that apply	
<input type="checkbox"/>	1. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
<input type="checkbox"/>	2. Diabetes Mellitus (DM)
<input type="checkbox"/>	3. None of the above

Health Conditions

Section J

(M1033) Risk for Hospitalization: Which of the following signs or symptoms characterize this patient as at risk for hospitalization? (Mark all that apply.)

- 1 - History of falls (2 or more falls – or any fall with an injury – in the past 12 months)
- 2 - Unintentional weight loss of a total of 10 pounds or more in the past 12 months
- 3 - Multiple hospitalizations (2 or more) in the past 6 months
- 4 - Multiple emergency department visits (2 or more) in the past 6 months
- 5 - Decline in mental, emotional, or behavioral status in the past 3 months
- 6 - Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months
- 7 - Currently taking 5 or more medications
- 8 - Currently reports exhaustion
- 9 - Other risk(s) not listed in 1 - 8
- 10 - None of the above

Section J	Health Conditions
------------------	--------------------------

M1033. Risk for Hospitalization	
Which of the following signs or symptoms characterize this patient as at risk for hospitalization?	
↓ Check all that apply	
<input type="checkbox"/>	1. History of falls (2 or more falls – or any fall with an injury – in the past 12 months)
<input type="checkbox"/>	2. Unintentional weight loss of a total of 10 pounds or more in the past 12 months
<input type="checkbox"/>	3. Multiple hospitalizations (2 or more) in the past 6 months
<input type="checkbox"/>	4. Multiple emergency department visits (2 or more) in the past 6 months
<input type="checkbox"/>	5. Decline in mental, emotional, or behavioral status in the past 3 months
<input type="checkbox"/>	6. Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months
<input type="checkbox"/>	7. Currently taking 5 or more medications
<input type="checkbox"/>	8. Currently reports exhaustion
<input type="checkbox"/>	9. Other risk(s) not listed in 1-8
<input type="checkbox"/>	10. None of the above

J0510. Pain Effect on Sleep	
Enter Code	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?"
<input type="checkbox"/>	0. Does not apply – I have not had any pain or hurting in the past 5 days → Skip to M1400, Short of Breath at SOC/ROC; Skip to J1800 Any Falls Since SOC/ROC at DC
	1. Rarely or not at all
	2. Occasionally
	3. Frequently
	4. Almost constantly
	8. Unable to answer

J0520. Pain Interference with Therapy Activities	
Enter Code	Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?"
<input type="checkbox"/>	0. Does not apply – I have not received rehabilitation therapy in the past 5 days
	1. Rarely or not at all
	2. Occasionally
	3. Frequently
	4. Almost constantly
	8. Unable to answer

J0530. Pain Interference with Day-to-Day Activities	
Enter Code	Ask patient: "Over the past 5 days, how often you have limited your day-to-day activities (excluding rehabilitation therapy session) because of pain?"
<input type="checkbox"/>	1. Rarely or not at all
	2. Occasionally
	3. Frequently
	4. Almost constantly
	8. Unable to answer

(M1242)	Frequency of Pain interfering with patient's activity or movement:	
Enter Code		
<input type="checkbox"/>	0	Patient has no pain
	1	Patient has pain that does not interfere with activity or movement
	2	Less often than daily
	3	Daily, but not constantly
	4	All of the time

Section J: Health Conditions

J1800. Any Falls Since SOC/ROC, whichever is more recent							
Enter Code <input type="checkbox"/>	Has the patient had any falls since SOC/ROC, whichever is more recent? 0. No → Skip J1900 1. Yes → Continue to J1900, Number of Falls Since SOC/ROC, whichever is more recent						
J1900. Number of Falls Since SOC/ROC, whichever is more recent							
CODING: ↓ Enter Codes in Boxes							
0. None 1. One 2. Two or more	<table border="1"> <tr> <td><input type="checkbox"/></td> <td>A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall</td> </tr> <tr> <td><input type="checkbox"/></td> <td>B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain</td> </tr> <tr> <td><input type="checkbox"/></td> <td>C. Major Injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma</td> </tr> </table>	<input type="checkbox"/>	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall	<input type="checkbox"/>	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain	<input type="checkbox"/>	C. Major Injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma
<input type="checkbox"/>	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall						
<input type="checkbox"/>	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain						
<input type="checkbox"/>	C. Major Injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma						

RESPIRATORY STATUS

(M1400) When is the patient dyspneic or noticeably Short of Breath?											
Enter Code <input type="checkbox"/>	<table border="1"> <tr> <td>0</td> <td>Patient is not short of breath</td> </tr> <tr> <td>1</td> <td>When walking more than 20 feet, climbing stairs</td> </tr> <tr> <td>2</td> <td>With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)</td> </tr> <tr> <td>3</td> <td>With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation</td> </tr> <tr> <td>4</td> <td>At rest (during day or night)</td> </tr> </table>	0	Patient is not short of breath	1	When walking more than 20 feet, climbing stairs	2	With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)	3	With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation	4	At rest (during day or night)
0	Patient is not short of breath										
1	When walking more than 20 feet, climbing stairs										
2	With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)										
3	With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation										
4	At rest (during day or night)										

J1800. Any Falls Since SOC/ROC, whichever is more recent	
Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.	
Enter Code <input type="checkbox"/>	Has the patient had any falls since SOC/ROC, whichever is more recent? 0. No → Skip to M1400, Short of Breath at DC; Skip to M2005, Medication Intervention at TRN and DAH 1. Yes → Continue to J1900, Number of Falls Since SOC/ROC

J1900. Number of Falls Since SOC/ROC, whichever is more recent							
CODING: ↓ Enter Codes in Boxes							
Coding: 0. None 1. One 2. Two or more	<table border="1"> <tr> <td><input type="checkbox"/></td> <td>A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall</td> </tr> <tr> <td><input type="checkbox"/></td> <td>B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain</td> </tr> <tr> <td><input type="checkbox"/></td> <td>C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma</td> </tr> </table>	<input type="checkbox"/>	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall	<input type="checkbox"/>	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain	<input type="checkbox"/>	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma
	<input type="checkbox"/>	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall					
	<input type="checkbox"/>	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain					
<input type="checkbox"/>	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma						

M1400. When is the patient dyspneic or noticeably Short of Breath?											
Enter Code <input type="checkbox"/>	<table border="1"> <tr> <td>0.</td> <td>Patient is not short of breath</td> </tr> <tr> <td>1.</td> <td>When walking more than 20 feet, climbing stairs</td> </tr> <tr> <td>2.</td> <td>With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)</td> </tr> <tr> <td>3.</td> <td>With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation</td> </tr> <tr> <td>4.</td> <td>At rest (during day or night)</td> </tr> </table>	0.	Patient is not short of breath	1.	When walking more than 20 feet, climbing stairs	2.	With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)	3.	With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation	4.	At rest (during day or night)
0.	Patient is not short of breath										
1.	When walking more than 20 feet, climbing stairs										
2.	With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)										
3.	With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation										
4.	At rest (during day or night)										

Swallowing/Nutritional Status

Section K

(M1060) Height and Weight – While measuring, if the number is X.1-X.4 round down; X.5 or greater round up

--	--

inches

a. Height (in inches). Record most recent height measure since the most recent SOC/ROC

--	--	--

pounds

b. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)

Section K Swallowing/Nutritional Status

M1060. Height and Weight – While measuring, if the number is X.1-X.4 round down; X.5 or greater round up.

--	--

inches

A. Height (in inches). Record most recent height measure since the most recent SOC/ROC

--	--	--

pounds

B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)

SOC/ROC

K0520. Nutritional Approaches

1. On Admission	1. On Admission
Check all of the nutritional approaches that apply on admission	
A. Parenteral/IV feeding	<input type="checkbox"/>
B. Feeding tube (e.g., nasogastric or abdominal (PEG))	<input type="checkbox"/>
C. Mechanically altered diet – require change in texture of food or liquids (e.g., pureed food, thickened liquids)	<input type="checkbox"/>
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)	<input type="checkbox"/>
Z. None of the above	<input type="checkbox"/>




Moved from the Functional Items

Discharge

K0520. Nutritional Approaches

4. Last 7 days	4. Last 7 days	5. At discharge
Check all of the nutritional approaches that were received in the last 7 days		
5. At discharge	↓ Check all that apply ↓	
Check all of the nutritional approaches that were being received at discharge		
A. Parenteral/IV feeding	<input type="checkbox"/>	<input type="checkbox"/>
B. Feeding tube (e.g., nasogastric or abdominal (PEG))	<input type="checkbox"/>	<input type="checkbox"/>
C. Mechanically altered diet – require change in texture of food or liquids (e.g., pureed food, thickened liquids)	<input type="checkbox"/>	<input type="checkbox"/>
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)	<input type="checkbox"/>	<input type="checkbox"/>
Z. None of the above	<input type="checkbox"/>	<input type="checkbox"/>



(M1870) Feeding or Eating: Current ability to feed self meals and snacks safely. Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.	
Enter Code	0 Able to independently feed self.
<input type="checkbox"/>	1 Able to feed self independently but requires: (a) meal set-up; <u>OR</u> (b) intermittent assistance or supervision from another person; <u>OR</u> (c) a liquid, pureed or ground meat diet.
	2 Unable to feed self and must be assisted or supervised throughout the meal/snack.
	3 Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.
	4 Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
	5 Unable to take in nutrients orally or by tube feeding.

M1870. Feeding or Eating	
Current ability to feed self meals and snacks safely. Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.	
Enter Code	0. Able to independently feed self.
<input type="checkbox"/>	1. Able to feed self independently but requires: a. meal set-up; <u>OR</u> b. intermittent assistance or supervision from another person; <u>OR</u> c. a liquid, pureed or ground meat diet.
	2. Unable to feed self and must be assisted or supervised throughout the meal/snack.
	3. Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.
	4. Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
	5. Unable to take in nutrients orally or by tube feeding.

Skin Conditions



Section M

Section M	Skin Conditions
-----------	-----------------

M1306, M1307: No change

SOC/ROC

(M1311) Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	Enter Number
A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers	<input type="text"/>

Follow-Up

(M1311) Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	Enter Number
A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers	<input type="text"/>

Discharge

(M1311) Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	Enter Number
A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers [If 0 – Go to M1311B1, Stage 3]	<input type="text"/>
A2. Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC	<input type="text"/>

SOC/ROC	
M1311. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	
Enter Number <input type="text"/>	A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers

Graphics change only

Follow-up version not indicated....?

Discharge	
M1311. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	
Enter Number <input type="text"/>	A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers – If 0 → Skip to M1311B1, Stage 3
Enter Number <input type="text"/>	A2. Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC

Graphics change only

No changes....

M1322. Current Number of Stage 1 Pressure Injuries	
Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.	
Enter Code	0
<input type="checkbox"/>	1
	2
	3
	4 or more

M1324. Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable	
Excludes pressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough and/or eschar, or deep tissue injury.	
Enter Code	1. Stage 1
<input type="checkbox"/>	2. Stage 2
	3. Stage 3
	4. Stage 4
	NA Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries

M1330. Does this patient have a Stasis Ulcer?	
Enter Code	0. No → Skip to M1340, Surgical Wound
<input type="checkbox"/>	1. Yes, patient has BOTH observable and unobservable stasis ulcers
	2. Yes, patient has observable stasis ulcers ONLY
	3. Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device) → Skip to M1340, Surgical Wound

M1332. Current Number of Stasis Ulcer(s) that are Observable	
Enter Code	1. One
<input type="checkbox"/>	2. Two
	3. Three
	4. Four

M1334. Status of Most Problematic Stasis Ulcer that is Observable	
Enter Code	1. Fully granulating
<input type="checkbox"/>	2. Early/partial granulation
	3. Not healing

(M1340) Does this patient have a Surgical Wound?	
Enter Code	0 No [Go to M1400]
<input type="checkbox"/>	1 Yes, patient has at least one observable surgical wound
	2 Surgical wound known but not observable due to non-removable dressing/device [Go to M1400]
(M1342) Status of Most Problematic Surgical Wound that is Observable	
Enter Code	0 Newly epithelialized
<input type="checkbox"/>	1 Fully granulating
	2 Early/partial granulation
	3 Not healing


M1340. Does this patient have a Surgical Wound?	
Enter Code	0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication
<input type="checkbox"/>	1. Yes, patient has at least one observable surgical wound
	2. Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication

M1342. Status of Most Problematic Surgical Wound that is Observable	
Enter Code	0. Newly epithelialized
<input type="checkbox"/>	1. Fully granulating
	2. Early/partial granulation
	3. Not healing

Medications

Section N

(M2016)	Patient/Caregiver Drug Education Intervention: At the time of the most recent SOC/ROC assessment, was the patient/caregiver instructed by agent, staff or other health care provider to monitor the effectiveness of drug therapy, recognize reactions and significant side effects, and how and when to report problems that may occur?
Enter Code	<input type="checkbox"/> 0 No <input type="checkbox"/> 1 Yes <input type="checkbox"/> NA Patient not taking any drugs



Section N	Medications
------------------	--------------------

SOC/ROC and Discharge		
N0415. High-Risk Drug Classes: Use and Indication		
	1. Is Taking	2. Indication Noted
	↓	↓
	Check all that apply	
1. Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes		
2. Indication noted If Column 1 is checked, check if there is an indication noted for all medications in the drug class		
A. Antipsychotic	<input type="checkbox"/>	<input type="checkbox"/>
E. Anticoagulant	<input type="checkbox"/>	<input type="checkbox"/>
F. Antibiotic	<input type="checkbox"/>	<input type="checkbox"/>
H. Opioid	<input type="checkbox"/>	<input type="checkbox"/>
I. Antiplatelet	<input type="checkbox"/>	<input type="checkbox"/>
J. Hypoglycemic (including insulin)	<input type="checkbox"/>	<input type="checkbox"/>
Z. None of the Above	<input type="checkbox"/>	

M2001 – M2030: No change except deletion of M2016 per 2022 Final Rule

Special Treatment, Procedures, and Programs

Section O



(M1030) Therapies the patient receives at home: (Mark all that apply.)

- 1 - Intravenous or infusion therapy (excludes TPN)
- 2 - Parenteral nutrition (TPN or lipids)
- 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other device into the alimentary canal)
- 4 - None of the above




Section O Special Treatment, Procedures, and Programs

SOC/ROC	a. On Admission Check all that apply ↓
00110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply on admission.	
Cancer Treatments	
A1. Chemotherapy	<input type="checkbox"/>
A2. IV	<input type="checkbox"/>
A3. Oral	<input type="checkbox"/>
A10. Other	<input type="checkbox"/>
B1. Radiation	<input type="checkbox"/>
Respiratory Therapies	
C1. Oxygen Therapy	<input type="checkbox"/>
C2. Continuous	<input type="checkbox"/>
C3. Intermittent	<input type="checkbox"/>
C4. High-concentration	<input type="checkbox"/>
D1. Suctioning	<input type="checkbox"/>
D2. Scheduled	<input type="checkbox"/>
D3. As needed	<input type="checkbox"/>
E1. Tracheostomy Care	<input type="checkbox"/>
F1. Invasive Mechanical Ventilator (ventilator or respirator)	<input type="checkbox"/>
G1. Non-invasive Mechanical Ventilator	<input type="checkbox"/>
G2. BiPAP	<input type="checkbox"/>
G3. CPAP	<input type="checkbox"/>
Other	
H1. IV Medications	<input type="checkbox"/>
H2. Vasoactive medications	<input type="checkbox"/>
H3. Antibiotics	<input type="checkbox"/>
H4. Anticoagulation	<input type="checkbox"/>
H10. Other	<input type="checkbox"/>
I1. Transfusions	<input type="checkbox"/>
J1. Dialysis	<input type="checkbox"/>
J2. Hemodialysis	<input type="checkbox"/>
J3. Peritoneal dialysis	<input type="checkbox"/>
O1. IV Access	<input type="checkbox"/>
O2. Peripheral	<input type="checkbox"/>
O3. Mid-line	<input type="checkbox"/>
O4. Central (e.g., PICC, tunneled, port)	<input type="checkbox"/>
None of the Above	
Z1. None of the Above	<input type="checkbox"/>

(M1041) Influenza Vaccine Data Collection Period: Does this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?	
Enter Code <input type="checkbox"/>	0 No [Go to M1051] 1 Yes
(M1046) Influenza Vaccine Received: Did the patient receive the influenza vaccine for this year's flu season?	
Enter Code <input type="checkbox"/>	1 Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge) 2 Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge) 3 Yes; received from another health care provider (for example, physician, pharmacist) 4 No; patient offered and declined 5 No; patient assessed and determined to have medical contraindication(s) 6 No; not indicated – patient does not meet age/condition guidelines for influenza vaccine 7 No; inability to obtain vaccine due to declared shortage 8 No; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.

M1041. Influenza Vaccine Data Collection Period Does this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?	
Enter Code <input type="checkbox"/>	0. No → Skip to M2401, Intervention Synopsis 1. Yes → Continue to M1046, Influenza Vaccine Received
M1046. Influenza Vaccine Received Did the patient receive the influenza vaccine for this year's flu season?	
Enter Code <input type="checkbox"/>	1. Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge) 2. Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge) 3. Yes; received from another health care provider (for example, physician, pharmacist) 4. No; patient offered and declined 5. No; patient assessed and determined to have medical contraindication(s) 6. No; not indicated – patient does not meet age/condition guidelines for influenza vaccine 7. No; inability to obtain vaccine due to declared shortage 8. No; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.

(M1051) Pneumococcal Vaccine: Has the patient ever received the pneumococcal vaccination (for example, pneumovax)?	
Enter Code <input type="checkbox"/>	0 No 1 Yes [Go to M2005 at TRN; Go to M1242 at DC]
(M1056) Reason Pneumococcal Vaccine not received: If patient has never received the pneumococcal vaccination (for example, pneumovax), state reason:	
Enter Code <input type="checkbox"/>	1 Offered and declined 2 Assessed and determined to have medical contraindication(s) 3 Not indicated; patient does not meet age/condition guidelines for Pne 4 None of the above



M1051/M1056: Removed

THE THERAPY NEED AND PLAN OF CARE

(M2200) Therapy Need: In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? (Enter zero ["000"] if no therapy visits indicated.)

() Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).

NA - Not Applicable: No case mix group defined by this assessment.

M2200. Therapy Need In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? (Enter zero ["000"] if no therapy visits indicated.)	
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).
<input type="checkbox"/> NA	- Not Applicable: No case mix group defined by this assessment.

Participation in Assessment and Goal Setting

Section Q

DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY

(M2401) Intervention Synopsis: (Check only one box in each row.) At the time of or at any time since the most recent SOC/ROC assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented?

Plan / Intervention	No	Yes	Not Applicable
a. Diabetic foot care including monitoring for the presence of sores on the lower extremities and patient/caregiver education on proper foot care	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> NA Patient is not diabetic or is missing lower legs due to congenital or acquired condition (bilateral amputee).
b. Falls prevention interventions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> NA Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.
c. Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> NA Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.
d. Intervention(s) to monitor and mitigate pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> NA Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.
e. Intervention(s) to prevent pressure ulcers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> NA Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.
f. Pressure ulcer treatment based on principles of moist wound healing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> NA Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.

Section Q Participation in Assessment and Goal Setting

M2401. Intervention Synopsis				
At the time of or at any time since the most recent SOC/ROC assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented? (Mark only one box in each row.)				
Plan/Intervention	No	Yes	Not Applicable	
↓Check only one box in each row↓				
B. Falls prevention interventions	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.
C. Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.
D. Intervention(s) to monitor and mitigate pain	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.
E. Intervention(s) to prevent pressure ulcers	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.
F. Pressure ulcer treatment based on principles of moist wound healing	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.

Miscellaneous

Social Determinants of Health

- Emerging focus = Social Determinants of Health (SDOH)
 - Dually-eligible enrollees
- Focuses of CMS
 - Population health
 - Reduction of health care spending
 - Patient/caregiver satisfaction
- Past initiatives have focused on
 - Increasing access to health care
 - Treating medical conditions

How Will OASIS E be used?

- Patient-Driven Groupings Model (PDGM) Functional Grouping Scoring
- Home Health Quality Reporting Program (HHQRP) measures
- Star Ratings on Care Compare
- Value Based Purchasing (VBP)

PDGM Items from OASIS E

As far as we know now, these items will continue to contribute to payment calculations under PDGM:

- M1033 Risk for Hospitalization
- M1800 Grooming
- M1810 Ability to Dress Upper Body
- M1820 Ability to Dress Lower Body
- M1830 Bathing
- M1840 Toilet Transferring
- M1850 Transferring
- M1860 Ambulation/Locomotion

2022 HHQRP Measures – Claims

Claims-based	
ACH	Acute Care Hospitalization During the First 60 Days of HH (NQF #0171).
DTC	Discharge to Community-Post Acute Care (PAC) Home Health (HH) Quality Reporting Program (QRP) (NQF #3477)
ED Use	Emergency Department Use without Hospitalization During the First 60 Days of HH (NQF #0173).
MSPB	Total Estimated Medicare Spending Per Beneficiary (MSPB)—Post Acute Care (PAC) HH QRP.
PPR	Potentially Preventable 30-Day Post-Discharge Readmission Measure for HH Quality Reporting Program.

2022 HHQRP Measures – [HHCAHPS](#)

HHCAHPS-based	
CAHPS Home Health Survey	CAHPS® Home Health Care Survey (experience with care) (NQF #0517) ⁵⁰ <ul style="list-style-type: none"> - How often the HH team gave care in a professional way. - How well did the HH team communicate with patients. - Did the HH team discuss medicines, pain, and home safety with patients. - How do patients rate the overall care from the HHA. - Will patients recommend the HHA to friends and family.

2022 HHQRP Measures – OASIS-Based

Short Name	Measure Name & Data Source
OASIS-based	
Ambulation	Improvement in Ambulation/Locomotion (NQF #0167).
Application of Falls	Application of Percent of Residents Experiencing One or More Falls with Major Injury (Long Stay) (NQF #0674).
Application of Functional Assessment	Application of Percent of Long-Term Care Hospital (LTCH) Patients with an Admission and Discharge Functional Assessment and a Care Plan That Addresses Function (NQF #2631).
Bathing	Improvement in Bathing (NQF #0174).
Bed Transferring	Improvement in Bed Transferring (NQF # 0175).
DRR	Drug Regimen Review Conducted With Follow-Up for Identified Issues- Post Acute Care (PAC) HH QRP.
Drug Education	Drug Education on All Medications Provided to Patient/Caregiver during All Episodes of Care.
Dyspnea	Improvement in Dyspnea.
Influenza	Influenza Immunization Received for Current Flu Season
Oral Medications	Improvement in Management of Oral Medications (NQF #0176).
Pressure Ulcer/Injury	Changes in Skin Integrity Post-Acute Care
Timely Care	Timely Initiation Of Care (NQF #0526).
TOH - Provider	Transfer of Health Information to Provider-Post-Acute Care ⁴⁸
TOH - Patient	Transfer of Health Information to Patient-Post-Acute Care ⁴⁹

Looking at Recerts/FU

- M0080-Discipline completing OASIS
- M0090-Date assessment completed
- M0100-Assessment reason
- M0110-Episode Timing
- M1800-Grooming
- M1810 & M1820-Upper and Lower Body
- M1830-Bathing
- M1840-Toilet Transferring
- M1850-Transferring
- M1860-Ambulation/Locomotion
- GG0130-Self Care
- GG0170-Mobility
- M1033-Risk of Hospitalization
- M1306-Unhealed pressure ulcer

Preparation

1. Check with EMR to see how they are formatting the OASIS as written or for flow of EMR/Assessment
2. Educate/educate/educate
3. Look at policy and procedures (Tune in to the next in the series of webinars)
4. Start thinking about processes that may need to be put into place to ensure compliance and communication
5. Possible productivity adjustments



Having the right EMR is essential. ALORA features:

- Automatic Generation of Plan of Care
 - Mobile Friendly
 - Profit/Loss Calculator
 - Assessment Analysis
- LUPA Threshold Tracking



The first 100 agencies to request a demo will have implementation fees waived if they ultimately start with Alora.

1. Simply visit www.alorahealth.com/demo
2. Enter "OASISE" in the message field to lock in this special offer.

OASIS-E: Be Prepared and Empowered for the Transition

Q & A



ALORA
Home Health Software

 **SimiTree**

**Thank you! With any questions,
please contact:**



ALORA
Home Health Software

www.alorahealth.com

1-800-954-8250

 **SimiTree**

J'non Griffin, RN MHA HCS-D,
HCS-H, HCS-C, COS-C

Sr. Vice President/Principal
Coding and OASIS Division

www.simitreehc.com

800.949.0388